





# Save Hours, Save Days, Save Money

On-the-Fly 5-Second Oil Change™





Monitor Evacuation with Clearly. Visible. Results.







## High-Speed Industrial Evacuation

The TEZ8 was the first vacuum pump designed from the ground up with the needs of an AC/R technician in mind. From the Multi-Port Input Tree to the 5-Second Oil Change™, every aspect of the TEZ8 is designed for the fastest evacuation.



- ► Adjustable Multi-Port Input Multiple connections to 1/2 in. and 3/8 in.
  inputs for maximum flow
- ➤ Two-Stage Exhaust System Vents without breaking the vacuum.
  No gas ballast needed
- ➤ "Soft Start" Motor Reliable starting in extreme ambient conditions as low as -40° F

#### **TEZ8 Product Specifications**

Dimensions	14.25 x 9.125 x 10.25 in. (362 x 231.8 x 260.4 mm)	
Weight	28 lbs (12.7 kg)	
Power	115VAC, 60Hz, 10 Amps	
Free Air Displacement	8 cfm (227 l/m) @ 60 Hz	
Ultimate Vacuum	<20 microns	
Inlet Port Fittings	1/4 in., 3/8 in. (x2), 1/2 in.	



### ► Cooler Operation -

Turbine fan and massive aluminum heat sink keeps the pump and oil cool, reducing oil viscosity breakdown

- ► Advanced "Anti-Suckback" -Eliminates check valves and other flow restrictions
- ► Lightweight & Durable Composite resin case for rugged
  durability and reduced weight

#### **TEZ8 Time Savings\***

Job Type	Before	With TEZ8
Server Room	4 Days	7 Hours
Rack System	23 Hours	2 Hours
1500-Ton Chillers	2 Weeks	26 Hours
VRF (168,000 BTUHs)	2 Days	2 Hours

\*Real job-site testimonials. Results may vary.